Piscataguog Annual Water Use versus Stream Flow – Calendar Year 2003

The Piscataquog Water Management Planning Area covers 180 square miles and includes two streamflow gages (USGS 01091500 PISCATAQUOG RIVER NEAR GOFFSTOWN, NH and USGS 01090800 PISCATAQUOG RIVER BL EVERETT DAM, NR E WEARE, NH). However, these are partial-record stations maintained for the purposes of flood control operations. Reliability of the discharge information at low flows is variable and daily mean flow values are not published for these stations. Streamflow estimations for the Piscataquog were made instead by using three nearby gages-- USGS 01094000 SOUHEGAN RIVER AT MERRIMACK, NH with a watershed area of 170 square miles, USGS 01082000 CONTOOCOOK RIVER AT PETERBOROUGH, NH with a watershed area of 68.1 square miles and USGS 01085500 CONTOOCOOK R BL HOPKINTON DAM AT W HOPKINTON, NH with a watershed area of 426.0 square miles. These gages are on rivers in adjacent watersheds.

The Water Management Planning Area is further complicated by including three branches of the Piscataquog River. The Middle and South Branches join in New Boston and then join the North Branch in Goffstown. The designated portion of the North Branch is divided by Lake Horace and Everett Lake. For this report the streamflow was transposed areal from the average of the surrogate gages to all impact points on the Designated River. There are thirteen registered sources and three registered, measured returns in the Water Management Planning Area. There are none on the Middle Branch, two source on the Lower Branch and two sources on the Upper Branch. The remaining nine sources and the three measured returns are on the portion of the Designated River below the confluences of the three branches.

The assessment for the Piscataquog evaluates the Upper and Lower Branches separately. The Middle Branch is included as a tributary to the Lower Branch in its assessment because there were no registered water users in the Middle Branch in 2003.


The much of the Designated River was not in compliance with the General Standard during the month of July. In July, the Designated River was not in compliance with the General Standard beginning near the Goffstown Village Precinct Water Works to the confluence with the Merrimack River. Also, short reach on the Upper Branch was not incompliance below where Gorham Brook enters as a tributary. The Lower Branch is not in compliance at its headwaters.

The Water Management Planning Area includes registered water use by three hydroelectric facilities. All three are on the mainstem below the three branches. Water use by hydroelectric facilities are not shown in the monthly graphs because flow in is expected to equal flow out and because the General Standard does not apply to hydroelectric facilities between their point of withdrawal and point of return per Env-Ws 1903.02(d). Other water users include a municipal water system at Goffstown and water use for irrigation by three golf courses and at St. Anselm College athletic fields.

The Piscataquog Designated River drains into the Merrimack River upstream of the Lower Merrimack Designated River. The results of this assessment are a component of that river's assessment.

Q:\Web Data\Wayne Ives\Annual Water Use report for web\River Reports\2003 Piscataquog WMPA Annual Water Use versus Stream Flow final.doc 6/2/2005

Piscataquog River Affected Water User Facilities:
Source and Discharge Locations



Legend

Affected Water Users

Source

DischargeStream Gages

Active

Inactive

mactive

/

Designated Reach



Hydrology



State boundary



Town boundary



WMPA



2003 UB Piscataquog Water Use in CFS

WU_NAME	FACILITY	WUSD_ID	DA on DR (SQ MILE) JAN	FEI	в м	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Start point Seg 1 of Upper Branch			4.2												
STONEBRIDGE COUNTRY CLUB	STONEBRIDGE COUNTRY CLUB	20721 20721-S02	75.8	0.00	0.00	0.00	0.006	0.082	0.098	0.399	0.217	0.111	0.012	0.00	0.00
STONEBRIDGE COUNTRY CLUB	STONEBRIDGE COUNTRY CLUB	20721 20721-S01	75.8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
End point of Upper Branch			76.2												

2003 Upper Branch Piscataquog Aggregate Water Use in CFS

* *																
			DA on													
			DR (SQ													
WU_NAME	FACILITY	WUSD_ID	MILE) J	AN	FEB	MAR	APR	MAY	JUN	JUL .	AUG	SEP	OCT	NOV	DEC	
Start point Seg 1 of Upper Branch			4.2	0	0	0	0	0	0	0	0	0	()	0	0
STONEBRIDGE COUNTRY CLUB	STONEBRIDGE	COUNTRY CLUB 20721 20721	I-S02 75.8	0.00	0.00	0.00	0.01	0.08	0.10	0.40	0.22	0.11	0.01	0.0	.00	0.00
STONEBRIDGE COUNTRY CLUB	STONEBRIDGE	COUNTRY CLUB 20721 20721	I-S01 75.8	0.00	0.00	0.00	0.01	0.08	0.10	0.40	0.22	0.11	0.01	0.0	.00	0.00
End point of Upper Branch			76.2	0.00	0.00	0.00	0.01	0.08	0.10	0.40	0.22	0.11	0.01	0.5	.00	0.00

Piscataquog Watershed CFSM values

	Calculated 2003													
Average of 01094000, 01082000, and	monthly mean													
01085500	streamflow in CFSM		1.39	1.32	4.10	5.20	2.69	1.84	0.28	0.99	0.50	1.37	2.07	3.54
	Calculated 2003													
USGS 01094000 SOUHEGAN RIVER AT	monthly mean													
MERRIMACK, NH	streamflow in CFSM	171	1.57	1.59	5.21	4.78	3.14	2.00	0.30	0.72	0.42	1.23	1.94	3.87
	Calculated 2003													
USGS 01082000 CONTOOCOOK RIVER	monthly mean													
AT PETERBOROUGH, NH	streamflow in CFSM	68.1	1.58	1.66	4.41	4.74	2.63	1.91	0.30	1.41	0.61	1.56	2.07	2.60
USGS 01085500 CONTOOCOOK R BL	Calculated 2003													
HOPKINTON DAM AT W HOPKINTON,	monthly mean													
NH	streamflow in CFSM	427	1.03	0.72	2.69	6.09	2.31	1.60	0.25	0.82	0.48	1.31	2.20	4.16
Average of 01094000, 01082000, and	General Standard in													
01085500	cfsm		0.04	0.04	0.16	0.16	0.04	0.04	0.0044	0.02	0.02	0.04	0.04	0.04
USGS 01094000 SOUHEGAN RIVER AT	General Standard in													
MERRIMACK, NH	cfsm	170.0	0.04	0.04	0.16	0.16	0.04	0.04	0.0038	0.02	0.0038	0.04	0.04	0.04
USGS 01082000 CONTOOCOOK RIVER	General Standard in													
AT PETERBOROUGH, NH	cfsm	68.1	0.04	0.04	0.16	0.16	0.04	0.04	0.0046	0.04	0.02	0.04	0.04	0.04
USGS 01085500 CONTOOCOOK R BL	General Standard in													
HOPKINTON DAM AT W HOPKINTON,	cfsm													
NH	CISIII	426.0	0.04	0.02	0.04	0.16	0.04	0.04	0.0047	0.02	0.0047	0.04	0.04	0.16

2003 Upper Branch Piscataquog Estimated Monthly General Standard at Each Impact Point in CFS		General Standard in cfsm		0.04	0.04	0.16	0.16	0.04	0.04	0.0044	0.02	0.02	0.04	0.04	0.04
	USGS 01094000 SOUHEGAN RIVER AT MERRIMACK, NH	General Standard in cfsm	170.0	0.04	0.04	0.16	0.16	0.04	0.04	0.0038	0.02	0.0038	0.04	0.04	0.04
	USGS 01082000 CONTOOCOOK RIVER AT PETERBOROUGH, NH	General Standard in cfsm	68.1	0.04	0.04	0.16	0.16	0.04	0.04	0.0046	0.04	0.02	0.04	0.04	0.04
	USGS 01085500 CONTOOCOOK R BL HOPKINTON DAM AT W HOPKINTON, NH	General Standard in cfsm	426.0	0.04	0.02	0.04	0.16	0.04	0.04	0.0047	0.02	0.0047	0.04	0.04	0.16
	nor kinton, m		DA on DR (SQ	0.04	0.02	0.04	0.10	0.04	0.04	0.0047	0.02	0.0047	0.04	0.04	0.10
WU_NAME Start point Seg 1 of Upper Branch STONEBRIDGE COUNTRY CLUB STONEBRIDGE COUNTRY CLUB End point of Upper Branch	STONEBRIDGE COUNTRY CLUB	WUSD_ID 20721 20721-S02 20721 20721-S01	MILE) 4.2 75.8 75.8 76.2	JAN 0.2 3.0 3.0 3.0	FEB 0.2 3.0 3.0 3.0	MAR 0.7 12.1 12.1 12.2	APR 0.7 12.1 12.1 12.2	MAY 0.2 3.0 3.0 3.0	JUN 0.2 3.0 3.0 3.0	JUL 0.0 0.3 0.3	AUG 0.1 1.5 1.5	SEP 0.1 1.5 1.5	OCT 0.2 3.0 3.0 3.0	NOV 0.2 3.0 3.0 3.0	DEC 0.2 3.0 3.0 3.0

2003 Upper Branch Piscataquog Estimated Monthly Margin of the Aggregate Water Use Below the General Standard

			DA on												
			DR (SQ												
WU_NAME	FACILITY	WUSD_ID	MILE)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Start point Seg 1 of Upper Branch			4.2												
STONEBRIDGE COUNTRY CLUB	STONEBRIDGE COUNTRY CLUB	20721 20721-S02	75.8	3.03	3.03	12.14	12.13	2.95	2.94	(0.07)	1.30	1.41	3.02	3.03	3.03
STONEBRIDGE COUNTRY CLUB	STONEBRIDGE COUNTRY CLUB	20721 20721-S01	75.8	3.03	3.03	12.14	12.13	2.95	2.94	(0.07)	1.30	1.41	3.02	3.03	3.03
End point of Upper Branch			76.2												

